

Certificate of Analysis

Reishi Elixir

Analysis	Results
Elements by ICP Emission Spectrometry (ICP-OES)	
Sodium	28.9 ppm
Density by Gravimetric Analysis	
Density	1.190 g/mL
Aerobic Plate Count *	
Aerobic Plate Count	<100 CFU/g
E. coli *	
Escherichia Coli	Absent /10 g
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) *	
Enterobacterial Count	<10 MPN MPN/g
Salmonella USP *	
Salmonella	Absent /10 g
Staphylococcus *	
Staphylococcus Aureus	Absent /10 g
Yeast and Mold Count *	
Combined Yeast and Mold Count	<100 CFU/g
Preparatory Testing of Nutritional and Dietary Supplements *	
Aerobic Plate Suitability Result	PASS
Bile-Tolerant Gram-Neg Bacteria Suitability Result	PASS
Total Combined Yeast-Molds Count	PASS
Staphylococcus Suitability Result	PASS
E. coli Suitability Result	PASS
Salmonella Suitability Result	PASS
Elements by ICP Mass Spectrometry	
Chromium *	115 ppb
Mercury	<5.00 ppb
Lead	<5.00 ppb
Cadmium	<5.00 ppb
Arsenic	<10.0 ppb