

Certificate of Analysis

HSN Gummy

Analysis	Results
Elements by ICP Emission Spectrometry (ICP-OES)	
Sodium	1380 ppm
Aerobic Plate Count *	
Aerobic Plate Count	<100 CFU/g
E. coli *	
Escherichia Coli	Absent /10 g
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) *	
Enterobacterial Count	<10 MPN MPN/g
Salmonella USP *	
Salmonella	Absent /10 g
Staphylococcus *	
Staphylococcus Aureus	Absent /10 g
Yeast and Mold Count *	
Combined Yeast and Mold Count	100 (est) CFU/g
Preparatory Testing of Nutritional and Dietary Supplements *	
Aerobic Plate Suitability Result	PASS
Bile-Tolerant Gram-Neg Bacteria Suitability Result	PASS
Total Combined Yeast-Molds Count	Neutralization of the product is not applicable, due to the microbicidal activity of the product, it is not likely to contain specified microorganism
Staphylococcus Suitability Result	PASS
E. coli Suitability Result	PASS
Salmonella Suitability Result	PASS
Elements by ICP Mass Spectrometry	
Chromium *	75.4 ppb
Mercury	<5.00 ppb
Lead	<5.00 ppb
Cadmium	<5.00 ppb
Arsenic	<10.0 ppb